

Updating Gas-Phase Chemistry

The chemical mechanisms and chemistry specific modifications are described in the CAM6 user guide: https://ncar.github.io/CAM/doc/build/html/users_guide/CAM-chem-specifics.html#chemical-mechanisms. A general description of gas-phase chemistry and current developments are provided in the [Gas-Phase Chemistry model component description](#). There are 6 default mechanisms in CESM2 as described in the table below.

Mechanism	Description	# Species	# Reactions	Mechanism Name	Pre-processor Code
TSMLT1	Troposphere, stratosphere, mesosphere, and lower thermosphere	231	583 (433 kinetic, 150 photolysis)	MZ197_TSMLT1_20180423	pp_waccm_tsmlt_mam4
TS1	Troposphere and stratosphere	221	528 (405 kinetic, 123 photolysis)	MZ198_TS1-simpleVBS_20180423	pp_trop_strat_mam4_vbs
MA	Middle atmosphere: stratosphere, mesosphere, and lower thermosphere	98	298 (207 kinetic, 91 photolysis)		pp_waccm_ma_mam4
MAD	Middle atmosphere plus D-region ion chemistry	135	593 (489 kinetic, 104 photolysis)		pp_waccm_mad_mam4
SC	Specified chemistry for WACCM	29	12 (11 kinetic, 1 photolysis)		pp_waccm_sc_mam4
CAM	Simplified chemistry for CAM to allow tropospheric aerosol formation	32	7 (6 kinetic), 1 photolysis)		modal_aero

The input files and fortran routines for these default mechanisms are located in `$CCSMROOT/components/cam/src/chemistry/` in the folder specified by the pre-processor code. CAM-Chem and WACCM compsets are defined in section 4.4 and 4.5 of the CAM6 user guide https://ncar.github.io/CAM/doc/build/html/users_guide/atmospheric-configurations.html. All CAM-Chem compsets default to the TS1 chemical mechanism and WACCM compsets default to TSMLT1 chemical mechanism. The TS1 and TSMLT1 chemical mechanisms are described in Emmons et al., 2019 (in preparation).

To review the chemistry used in a specific compset, build your case as described in [Run CAM-Chem on Cheyenne](#). In the `$CASEROOT/CaseDocs` folder there are 2 files that describe the chemistry `chem_mech.in` and `chem_mech.doc`. Both have similar information describing the species and reaction rates. The `chem_mech.doc` file is in a more human readable format and includes the differential equations defining the production and loss terms of each species. The `chem_mech.in` file is the version read by the code, and the version you will alter to make changes to the chemical mechanism.

To update the chemistry, modify the chemical mechanism input file by:

1. Build your case as described in [Run CAM-Chem on Cheyenne](#).
2. Copy the input file (`chem_mech.in`) from `$CASEROOT/CaseDocs` folder to another folder and rename the mechanism file (e.g., `/home/mech/my_mech.in`)
3. Then alter this file as needed following these instructions: [Altering the Chemical Mechanism Input File](#)
4. Then in `env_build.xml` file, add the following to the `CAM_CONFIG_OPTS` value `"-usr_mech_infile /home/mech/my_mech.in"`. Note: substitute your own path and mechanism name here.
5. You will need to rebuild your case for changes to take effect (see [Run CAM-Chem on Cheyenne](#)).

To wet deposit a new species

There are two methods to wet deposit a new species. Both involve source code changes. After making the changes below, you must rebuild your case for changes to take effect. Wet deposition in CAM-Chem is described in the [Wet Deposition model component description](#).

The first and easiest method is to map the new species to deposit with the same rate as a species already undergoing wet deposition.

- Copy `mo_neu_wetdep.F90` from `$CCSMROOT/components/cam/src/chemistry/mozart/` to your `$CASEROOT/SourceMods/src.cam` directory.
- Edit the fortran code in `mo_neu_wetdep.F90`. The example below maps tracer SO2t to SO2.

```
case( 'SO2t' )
test_name = 'SO2'
```

- Add species into `gas_wetdep_list` in `user_nl_cam`. Note: if the default `gas_wetdep_list` is not already in your `user_nl_cam` file, you will need to build your case, copy the default `gas_wetdep_list` from `$CASEROOT/CaseDocs/atm_in`, and then add your new species to the end of this list.

The second method is to add a new species to the henry's law table list.

- Copy `seq_drydep_mod.F90` from `$CCSMROOT/cime/src/drivers/mct/shr/` to your `$CASEROOT/SourceMods/src.share` directory.

- Edit the fortran code in [seq_drydep_mod.F90](#).
 - In this code, there are several arrays containing: 1) species names, 2) reactivity factors (f_0), 3) henry's law constants, and 4) molecular weights. Add your new species characteristics at the end of each of these arrays.
 - Update the variable "maxspc" to be the total number of species you are dry depositing.
 - Update the variable "n_species_table" to the total number of species listed in these arrays.
- Add new species into gas_wetdep_list in user_nl_cam. Note: if the default gas_wetdep_list is not already in your user_nl_cam file, you will need to build your case, copy the default gas_wetdep_list from [\\$CASEROOT/CaseDocs/atm_in](#), and then add your new species to the end of this list.

To dry deposit a new species

There are also two methods to dry deposit a new species. Both involve source code changes. After making the changes below, you must rebuild your case for changes to take effect. Dry deposition in CAM-Chem is described in the [Dry Deposition model component description](#).

The first and easiest method is to map the new species to deposit with the same rate as a species already undergoing dry deposition.

- Copy [seq_drydep_mod.F90](#) from [\\$CCSMROOT/cime/src/drivers/mct/shr/](#) to your [\\$CASEROOT/SourceMods/src.share](#) directory
- Edit the fortran code in [seq_drydep_mod.F90](#). The example below maps tracer XHNO3 to HNO3.

```
case( 'XHNO3' )
test_name = 'HNO3'
```

- Copy [mo_drydep.F90](#) from [\\$CCSMROOT/components/cam/src/chemistry/mozart/](#) to your [\\$CASEROOT/SourceMods/src.cam](#) directory.
- Edit the fortran code in [mo_drydep.F90](#).
 - initialize your new variables
 - integer :: new_species_ndx
 - logical :: new_species_dd
 - In subroutine dvel_inti_xactive
 - new_species_ndx = get_spc_ndx('new_species')
 - new_species_dd = has_drydep ('new_species')
- Add new species into drydep_list in user_nl_cam. Note: if the default drydep_list is not already in your user_nl_cam file, you will need to build your case, copy the default drydep_list from [\\$CASEROOT/CaseDocs/drv_flds_in](#), and then add your new species to the end of this list.

The second method is to add a new species to the henry's law table list.

- Copy [seq_drydep_mod.F90](#) from [\\$CCSMROOT/cime/src/drivers/mct/shr/](#) to your [\\$CASEROOT/SourceMods/src.share](#) directory.
- Edit the fortran code in [seq_drydep_mod.F90](#).
 - In this code, there are several arrays containing: 1) species names, 2) reactivity factors (f_0), 3) henry's law constants, and 4) molecular weights. Add your new species characteristics at the end of each of these arrays.
 - Update the variable "maxspc" to be the total number of species you are dry depositing.
 - Update the variable "n_species_table" to the total number of species listed in these arrays.
- Copy [mo_drydep.F90](#) from [\\$CCSMROOT/components/cam/src/chemistry/mozart/](#) to your [\\$CASEROOT/SourceMods/src.cam](#) directory.
- Edit the fortran code in [mo_drydep.F90](#).
 - initialize your new variables
 - integer :: new_species_ndx
 - logical :: new_species_dd
 - In subroutine dvel_inti_xactive
 - new_species_ndx = get_spc_ndx('new_species')
 - new_species_dd = has_drydep ('new_species')
- Add new species into drydep_list in user_nl_cam. Note: if the default drydep_list is not already in your user_nl_cam file, you will need to build your case, copy the default drydep_list from [\\$CASEROOT/CaseDocs/drv_flds_in](#), and then add your new species to the end of this list.

Add emissions for a new species

If a new species is directly emitted, add emissions by:

- Create new emissions files for this species.
- Build your case, copy the ext_frc_specifier and srf_emis_specifier from [\\$CASEROOT/CaseDocs/atm_in](#) to your user_nl_cam file.
- Add your new species and emissions file path to this list.
 - ext_frc_specifier are for emissions vertical emissions
 - srf_emis_specifier are for surface emissions
- Run `./preview_namelists` and confirm the updates appear in your new [\\$CASEROOT/CaseDocs/atm_in](#) file.

Add lower boundary conditions for a new species

For long lived species (e.g., CH₄), you can specify the lower boundary conditions instead of having direct emissions from the surface.

- Copy the flbc_file and flbc_list from [\\$CASEROOT/CaseDocs/atm_in](#) to your user_nl_cam file.
- Create a new version of the flbc file that includes your new species.
- Add your new species to the flbc_list.
- Run `./preview_namelists` and confirm the updates appear in your new [\\$CASEROOT/CaseDocs/atm_in](#) file.

To add aerosol uptake for a new species

In the TS1 mechanism, organic nitrate aerosol uptake has been included using aerosol uptake coefficients (γ) similar to that used by Fisher et al. 2016.

If you desire to update these aerosol uptake coefficients, follow these instructions for: **Adding Aerosol Uptake for Gas-Phase Species**.

Note: The code as it is currently written removes the organic nitrates from the gas-phase, but does not have these organic nitrates contribute to secondary organic aerosol formation. Secondary organic aerosol formation is produced through a separate process.

Note: Currently, aerosol uptake of gas-phase compounds only occurs on the following types of aerosol: sulfate, ammonium nitrate, oc2, and secondary organic aerosol.