

Community Radiative Transfer Model Home

The Community Radiative Transfer Model (CRTM)

CRTM is a fast and accurate radiative transfer model, developed at the Joint Center for Satellite Data Assimilation (JCSDA) in the United States. It is a sensor-based radiative transfer model. It supports more than 100 sensors including sensors on most meteorological satellites and some from other remote sensing satellites.

The CRTM is composed of four important modules for gaseous transmittance, surface emission and reflection, cloud and aerosol absorption and scattering, and a solver for a radiative transfer. The CRTM was designed to meet users needs. Many options are available for users to choose from: input surface emissivity; select a subset of channels for a given sensor; inclusion of scattering calculations; computation of upwelling radiance at aircraft altitudes; computation of aerosol optical depth only; and threading of the CRTM.

Figure 1 shows the interface diagram for users (public interface) and internal modules for developers contained in the lower dashed box. The CRTM forward model is used to simulate the satellite-measured radiance, which can be used to verify measurement accuracy, uncertainty, and long-term stability. The k-matrix module is used to compute Jacobian values (i.e., radiance derivative to geophysical parameters), which is used for the inversion processing in retrieval and radiance assimilations. Using tangent-linear and adjoint modules is equivalent to using the k-matrix module, and is also applied to some application in radiance assimilation.

[blocked URL](#)




Figure 1. CRTM Public Interfaces
(click to enlarge)

The CRTM is designed to be a library for users to link to from other models, rather than supplying a graphical user interface. However, CRTM can be easily run in "stand-alone" mode.

By the CRTM initialization, user selects the sensor/sensors and surface emissivity /reflectance look-up tables. Developers may incorporate their own expertise into the CRTM for any desired applications -- please contact the CRTM development team to coordinate your work.

The gaseous transmittance describes atmospheric gaseous absorption, so that one can utilize remote sensing information in data assimilation/retrieval systems for atmospheric temperature, moisture, and trace gases such as CO₂, O₃, N₂O, CO, and CH₄. The aerosol module is fundamental to acquire aerosol type and concentration for studying air quality. The cloud module contains optical properties of six cloud types, providing radiative forcing information for weather forecasting and climate studies. The CRTM surface model includes surface static and atlas-based emissivity/reflectivity for various surface types. Two radiative solutions have been implemented into the CRTM. The advanced doubling-adding (ADA) method is chosen as a baseline. The successive order of interaction (SOI) radiative transfer model developed at the University of Wisconsin, has also been implemented in the CRTM for use in strongly scattering profiles.

For a new sensor, the CRTM team can generate spectral and transmittance coefficient files as long as the spectral response data of the new sensor is available. Once the spectral and transmittance coefficient files are created, the CRTM is ready for the new sensor. The new surface emissivity model may be supplied if the user wants to derive surface emissivity for the new sensor. The CRTM user interface provides forward, tangent-linear, adjoint, and K-matrix functions to compute radiance (also microwave and infrared brightness temperature) and sensitivities of radiance to atmospheric/surface parameters. T

CRTM latest version:

http://ftp.emc.ncep.noaa.gov/jcsda/CRTM/CRTM_Latest_Release

CRTM user guide:

http://ftp.emc.ncep.noaa.gov/jcsda/CRTM/CRTM_User_Guide.pdf

Official CRTM Repository:

https://github.com/JCSDA/CRTM_dev for new releases (post v2.3.1) and for developer access.

https://github.com/JCSDA/CRTM_fix for binary coefficient files

Support:

<https://groups.google.com/forum/#!forum/crtm-support>

Directly e-mail:

crtm-support@googlegroups.com

or

Benjamin.T.Johnson@noaa.gov

Attachments

File	Modified
PNG File CRTM_publicInt.png	Aug 24, 2020 by stegmann

Recently Updated

[2022-07-28](#)

Jul 28, 2022 • created by Anonymous

[CloudCT by Prof. Klaus Schilling](#)

Jun 30, 2022 • created by Anonymous

[CRTM Monthly Meeting Protocol](#)

Apr 29, 2022 • created by Anonymous

[2022-01-27](#)

Jan 27, 2022 • created by Anonymous

[Monte Carlo Radiative Transfer by Igor Polonsky](#)

Oct 01, 2021 • updated by Anonymous • [view change](#)

[monte-carlo.pdf](#)

Oct 01, 2021 • attached by Anonymous

[Liu Quanhua Three-dimensional radiative transfer effects of clouds in the microwave spectral range.pdf](#)

Sep 30, 2021 • attached by Anonymous

[CRTM Aerosol LUTs compared to NASA LUTs](#)

Aug 26, 2021 • updated by Anonymous • [view change](#)

[CRTM _ NASA LUTs comparisons.pptx](#)

Aug 26, 2021 • attached by Anonymous

[2021-07-29](#)

Jul 29, 2021 • created by Anonymous

[Monthly Meeting July 2021.pptx](#)

Jul 29, 2021 • attached by Anonymous

[2021-06-24](#)

Jun 24, 2021 • created by Anonymous

[2021-05-27](#)

May 27, 2021 • created by Anonymous
[2021-04-29](#)
Apr 29, 2021 • created by Anonymous
[2021-03-25](#)
Mar 25, 2021 • created by Anonymous